

RECEIVED
CENTRAL FAX CENTER

PATENT

FEB 21 2008

Application No. 10/511,476
Attorney Docket No. 067670-5002-US*In the Claims:*

This listing of claims will replace all prior versions, and listings, of claims in the application.

1-13. (Canceled)

14. (Currently amended) A method for recording an incident, in particular a traffic violation, in which a vehicle is involved, comprising the steps of:

- detecting the incident,
- making at least one record of the detected incident, and
- searching for and reading from the record a license plate of the vehicle involved in the incident,

wherein during making of the record, information is recorded relating to the position of the vehicle, and on the basis of this information, a search is made for the license plate in only a part of the record.

15. (Previously presented) The method as claimed in claim 14, wherein the recorded position information comprises the travel direction of the vehicle.

16. (Previously presented) The method as claimed in claim 15, wherein the record is a picture record and a search for the license plate is made, on the basis of the recorded travel direction, only in a left or right-hand half of the record.

17. (Previously presented) The method as claimed in claim 16, wherein a plurality of vehicles are caught in the picture record, and a search is made, on the basis of the recorded position information, for the license plate of only one of the vehicles.

18. (Previously presented) The method as claimed in claim 14, wherein the recorded position information comprises the lane in which the vehicle is located.

PATENT

Application No. 10/511,476
Attorney Docket No. 067670-5002-US

19. (Previously presented) The method as claimed in claim 18, wherein the record is a picture record and a search for the license plate is made, on the basis of the recorded position information, only in a relatively narrow vertical strip of the record.

20. (Previously presented) The method as claimed in claim 19, wherein a plurality of vehicles are caught in the picture record, and a search is made, on the basis of the recorded position information, for the license plate of only one of the vehicles.

21. (Previously presented) The method as claimed in claim 14, wherein the incident is detected by emitting a signal and analysing a signal reflected by the vehicle, and a set transmission range is recorded as position information.

22. (Previously presented) The method as claimed in claims 14, wherein the incident is detected by making use of a number of fixed detection elements, and the identity of the detection element detecting the incident is recorded as position information.

23. (Previously presented) The method as claimed claim 14, wherein during detecting of the incident the distance to the vehicle is measured and recorded as position information.

24. (Currently amended) A method for recording an incident, in particular a traffic violation, in which a vehicle is involved, comprising the steps of:

- detecting the incident,
 - making at least one record of the detected incident, including recording information relating to the position of the vehicle, and
 - on the basis of the recorded position information, searching only a part of the record for a license plate of the vehicle involved in the incident,
- wherein the recorded position information includes the direction of travel of the vehicle.

PATENT

Application No. 10/511,476
Attorney Docket No. 067670-5002-US

25. (Previously presented) The method as claimed in claim 24, wherein the record is a picture record and a search for the license plate is made, on the basis of the recorded travel direction, only in a left or right-hand half of the record.

26. (Previously presented) The method as claimed in claim 25, wherein a plurality of vehicles are caught in the picture record, and a search is made, on the basis of the recorded position information, for the license plate of only one of the vehicles.

27. (Previously presented) The method as claimed in claim 24, wherein the incident is detected by emitting a signal and analysing a signal reflected by the vehicle, and a set transmission range is recorded as position information.

28. (Previously presented) The method as claimed claim 24, wherein during detecting of the incident the distance to the vehicle is measured and recorded as position information.

29. (Currently amended) A method for recording an incident, in particular a traffic violation, in which a vehicle is involved, comprising the steps of:

- detecting the incident,
- making at least one record of the detected incident, including recording information relating to the position of the vehicle, and
- on the basis of the recorded position information, searching only a part of the record for a license plate of the vehicle involved in the incident,

wherein the recorded position information includes the lane in which the vehicle is travelling.

30. (Previously presented) The method as claimed in claim 29, wherein the record is a picture record and a search for the license plate is made, on the basis of the recorded position information, only in a relatively narrow vertical strip of the record.

PATENT

Application No. 10/511,476
Attorney Docket No. 067670-5002-US

31. (Previously presented) The method as claimed in claim 30, wherein a plurality of vehicles are caught in the picture record, and a search is made, on the basis of the recorded position information, for the license plate of only one of the vehicles.

32. (Previously presented) The method as claimed in claim 30, wherein the incident is detected by making use of a number of fixed detection elements, and the identity of the detection element detecting the incident is recorded as position information.

33. (Currently amended) A system for recording an incident, in particular a traffic violation, in which a vehicle is involved, comprising:

- a detector unit for detecting the incident,
- a recorder connected to the detector unit for making at least one record of the detected incident, and
- a reader for searching for and reading from the record a license plate of the vehicle involved in the incident,

wherein the recorder is adapted to record information relating to the position of the vehicle, and the reader is adapted to search for the license plate, on the basis of ~~[[this]]~~ the position information, in only a part of the record.

34. (Previously presented) The system as claimed in claim 33, wherein a plurality of vehicles are caught in the record and the reader is adapted to search, on the basis of the recorded position information, for the license plate of only one of the vehicles.

35. (Previously presented) The system as claimed in claim 33, wherein the recorder is adapted to make picture records, and the reader is adapted to identify and read the license plate from the picture record by optical means.

36. (Previously presented) The system as claimed in claim 35, wherein the recorder is an analog camera making picture records on film.

PATENT

Application No. 10/511,476
Attorney Docket No. 067670-5002-US

37. (Previously presented) The system as claimed in claim 35, wherein the recorder is a digital camera including a memory for storing the picture records made.

38. (Previously presented) The system as claimed in claim 37, wherein the camera is arranged near a road and the reader is arranged at a central location remote from the road, the camera being connected to the central location via a cable or a wireless network.

39. (Previously presented) The system as claimed in claim 35, wherein the reader comprises a suitably programmed computer including software for optical character recognition.

40. (Previously presented) The system as claimed in claim 33, wherein the detector unit comprises a radar trap arranged near a road.

41. (Previously presented) The system as claimed in claim 33, wherein the detector unit comprises a plurality of induction loops arranged in a road.

42. (Previously presented) A system for recording an incident, in particular a traffic violation, in which a vehicle is involved, comprising:

- a detector unit arranged in or near a road on which vehicles travel for detecting the incident,

- a camera arranged over or near the road and connected to the detector unit for making at least one pictorial record of the detected incident, the camera being adapted to include in the record information relating to the position of the vehicle, and

- a reader for searching, on the basis of the recorded position information, only a part of the record for a license plate of the vehicle involved in the incident and for reading the license plate from the record, the reader being adapted to identify and read the license plate from the pictorial record by optical means.

43. (Previously presented) The system as claimed in claim 42, wherein the reader comprises a suitably programmed computer including software for optical character recognition.

PATENT

Application No. 10/511,476
Attorney Docket No. 067670-5002-US

44. (Previously presented) The system as claimed in claim 43, wherein the camera is a digital camera including a memory for storing each pictorial record made, the camera being adapted for recording the position information as attachment to a data file containing the pictorial record.

45. (Previously presented) The system as claimed in claim 43, wherein the camera is an analog camera adapted for making pictorial records on film and for displaying the position information in each pictorial record.

46. (Previously presented) The system as claimed in claim 43 or 44, wherein the reader is adapted to search the record for position information, to select a part of the record on the basis of this position information, and to search only the selected part of the record for the license plate of the vehicle.

47. (Previously presented) The system as claimed in claim 46, wherein the reader is adapted to display the record as image on a screen for human checking if no position information is found.